

## **30 Day Use ATOD**

**Instrument:** CSAP GPRA Drug and Alcohol Use-Youth 2005

**Scale/Subscale Name:** 30 Day Use ATODs

**Source:** Substance Abuse and Mental Health Services Administration (SAMHSA)

**Developers:** SAMHSA, GPRA

**Year:** 2005

**Target Audience(s):** Youth ages 12 to 17 years

**Language other than English available:** Spanish

**Type:** Behavior

**Data collected:** Quantitative

**Data collection format:** Self-report – Pre/post

**Reading Level:** Flesch-Kincaid 10.5

**Existence of test/technical manuals, user guides, supplemental materials:** Scale and summary information available online at: <http://www.samhsa.gov>

**Level of training necessary for administration/scoring/interpretation:** None

**Widespread Use/Professional Endorsements:** Listed by the US Department of Health and Human Services Center for Substance Abuse and Prevention as part of their GPRA evaluation instruments. Endorsed as a core measure.

**Cost of Use:** No costs associated with use of this instrument.

**Description:**

- 27 items pertaining to 30 day use of ATODs.
- All response categories for use are reported as frequency of use (number of occasions used). Cigarette and marijuana use is also reported by number of cigarettes/joints smoked.
- Comparing pre and posttest reports of frequency of use in the past 30 days for ATOD users can provide information on changes (increase/decrease) in use following an intervention.

- Note: there is not a non-use or never used response category, therefore delayed onset cannot be determined by these questions.

**Psychometrics:**

*Information on reliability and validity are provided below. If information on a particular psychometric was not found, it is indicated as “no information provided.” It should be noted that this is not necessarily an indication of a lack of reliability or validity within a particular scale/instrument, but rather a lack of rigorous testing, for various reasons, by the developers or other researchers.*

**Reliability:** *A correlation of at least .80 is suggested for at least one type of reliability as evidence; however, standards range from .5 to .9 depending on the intended use and context for the instrument*

**Test-Retest:** No information provided

**Internal Consistency:** No information provided

**Inter-rater reliability:** No information provided

**Validity:** *The extent to which a measure captures what it is intended to measure.*

**Content/Face Validity:** No information provided

**Criterion Validity:** No information provided

**Construct Validity:** No information provided

**Construct: Substance Abuse – 30 Day Use**

**Scale Name:** 30 Day Use ATOD

**Developers:** SAHMSA, GPRA

**Items:**

**Measure:** CSAP GPRA drug and alcohol use - youth (2005).

1. How frequently have you smoked cigarettes during the past 30 days?

Pick one:

- Not at all
- Less than one cigarette per day
- One to five cigarettes per day
- About one-half pack per day
- About one pack per day
- About one and one-half packs per day
- Two packs or more per day

2. How often have you taken smokeless tobacco during the past 30 days?

Pick one:

- Not at all
- Once or twice
- Once or twice per week
- Three to five times per week
- About once a day
- More than once a day

3. To be more precise, during the past 30 days about how many cigarettes have you smoked per day?

Pick one:

- None
- Less than 1 per day
- 1 to 2
- 3 to 7
- 8 to 12
- 13 to 17
- 18 to 22
- 23 to 27

- \_\_\_\_\_ 28 to 32
- \_\_\_\_\_ 33 to 37
- \_\_\_\_\_ 38 or more

4. On how many occasions during the last 30 days have you had alcoholic beverages to drink (more than just a few sips)?

Pick one:

- \_\_\_\_\_ 0 occasions
- \_\_\_\_\_ 1 to 2 occasions
- \_\_\_\_\_ 3 to 5 occasions
- \_\_\_\_\_ 6 to 9 occasions
- \_\_\_\_\_ 10 to 19 occasions
- \_\_\_\_\_ 20 to 39 occasions
- \_\_\_\_\_ 40 or more occasions

5. On how many occasions during the last 30 days (if any) have you been drunk or very high from drinking alcoholic beverages?

Pick one:

- \_\_\_\_\_ 0 occasions
- \_\_\_\_\_ 1 to 2 occasions
- \_\_\_\_\_ 3 to 5 occasions
- \_\_\_\_\_ 6 to 9 occasions
- \_\_\_\_\_ 10 to 19 occasions
- \_\_\_\_\_ 20 to 39 occasions
- \_\_\_\_\_ 40 or more times

6. On how many occasions during the last 30 days (if any) have you used marijuana (grass, pot) or hashish (hash, hash oil)?

Pick one:

- \_\_\_\_\_ 0 occasions
- \_\_\_\_\_ 1 to 2 occasions
- \_\_\_\_\_ 3 to 5 occasions
- \_\_\_\_\_ 6 to 9 occasions
- \_\_\_\_\_ 10 to 19 occasions
- \_\_\_\_\_ 20 to 39 occasions
- \_\_\_\_\_ 40 or more occasions

7. During the LAST MONTH, about how many marijuana cigarettes (joints, reefers), or the equivalent, did you smoke a day, on average?

Pick one:

- None
- Less than one a day
- 1 a day
- 2 to 3 a day
- 4 to 6 a day
- 7 to 10 a day
- 11 or more a day

8. On how many occasions during the last 30 days (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays to get high?

Pick one:

- 0 occasions
- 1 to 2 occasions
- 3 to 5 occasions
- 6 to 9 occasions
- 10 to 19 occasions
- 20 to 39 occasions
- 40 or more occasions

9. On how many occasions (if any) during the last 30 days have you taken LSD ("acid")?

Pick one:

- 0 occasions
- 1 to 2 occasions
- 3 to 5 occasions
- 6 to 9 occasions
- 10 to 19 occasions
- 20 to 39 occasions
- 40 or more occasions

10. On how many occasions (if any) during the last 30 days have you taken amphetamines on your own that is, without a doctor telling you to take them?

Pick one:

- 0 occasions
- 1 to 2 occasions
- 3 to 5 occasions
- 6 to 9 occasions

- \_\_\_\_\_ 10 to 19 occasions
- \_\_\_\_\_ 20 to 39 occasions
- \_\_\_\_\_ 40 or more occasions

11. On how many occasions (if any) during the last 30 days have you taken crack (cocaine in chunk or rock form)?

Pick one:

- \_\_\_\_\_ 0 occasions
- \_\_\_\_\_ 1 to 2 occasions
- \_\_\_\_\_ 3 to 5 occasions
- \_\_\_\_\_ 6 to 9 occasions
- \_\_\_\_\_ 10 to 19 days
- \_\_\_\_\_ 20 to 39 occasions
- \_\_\_\_\_ 40 or more occasions

12. On how many occasions (if any) during the last 30 days have you taken cocaine in any other form (like cocaine powder)?

Pick one:

- \_\_\_\_\_ 0 occasions
- \_\_\_\_\_ 1 to 2 occasions
- \_\_\_\_\_ 3 to 5 occasions
- \_\_\_\_\_ 6 to 9 occasions
- \_\_\_\_\_ 10 to 19 occasions
- \_\_\_\_\_ 20 to 39 occasions
- \_\_\_\_\_ 40 or more occasions

13. On how many occasions (if any) have you taken tranquilizers on your own that is, without a doctor telling you to take them...during the last 30 days?

Pick one:

- \_\_\_\_\_ 0 days
- \_\_\_\_\_ 1 to 2 occasions
- \_\_\_\_\_ 3 to 5 occasions
- \_\_\_\_\_ 6 to 9 occasions
- \_\_\_\_\_ 10 to 19 occasions
- \_\_\_\_\_ 20 to 39 occasions
- \_\_\_\_\_ 40 or more occasions

14. On how many occasions (if any) have you taken barbiturates on your own that is, without a doctor telling you to take them...during the last 30 days?

Pick one:

- 0 occasions
- 1 to 2 occasions
- 3 to 5 occasions
- 6 to 9 occasions
- 10 to 19 occasions
- 20 to 39 occasions
- 40 or more occasions

15. On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth (ice)...during the last 30 days

Pick one:

- 0 occasions
- 1 to 2 occasions
- 3 to 5 occasions
- 6 to 9 occasions
- 10 to 19 occasions
- 20 to 39 occasions
- 4 or more times per day

16. On how many occasions (if any) have you taken amphetamines on your own that is, without a doctor telling you to take them...during the last 30 days?

Pick one:

- 0 occasions
- 1 to 2 occasions
- 3 to 5 occasions
- 6 to 9 occasions
- 10 to 19 occasions
- 20 to 39 occasions
- 40 or more occasions

17. On how many occasions (if any) have you used heroin...during the last 30 days?

Pick one:

- 0 occasions
- 1 to 2 occasions
- 3 to 5 occasions
- 6 to 9 occasions
- 10 to 19 occasions
- 20 to 39 occasions

\_\_\_\_\_ 40 or more occasions

18. On how many occasions (if any) have you taken narcotics other than heroin on your own that is, without a doctor telling you to take them...during the last 30 days?

Pick one:

- \_\_\_\_\_ 0 occasions
- \_\_\_\_\_ 1 to 2 occasions
- \_\_\_\_\_ 3 to 5 occasions
- \_\_\_\_\_ 6 to 9 occasions
- \_\_\_\_\_ 10 to 19 occasions
- \_\_\_\_\_ 20 to 39 occasions
- \_\_\_\_\_ 40 or more occasions

19. On how many occasions (if any) have you used MDMA (ecstasy) during the last 30 days?

Pick one:

- \_\_\_\_\_ 0 occasions
- \_\_\_\_\_ 1 to 2 occasions
- \_\_\_\_\_ 3 to 5 occasions
- \_\_\_\_\_ 6 to 9 occasions
- \_\_\_\_\_ 10 to 19 occasions
- \_\_\_\_\_ 20 to 39 occasions
- \_\_\_\_\_ 40 or more occasions

20. On how many occasions (if any) have you used Rohypnol (rophies, roofies) during the last 30 days?

Pick one:

- \_\_\_\_\_ 0 occasions
- \_\_\_\_\_ 1 to 2 occasions
- \_\_\_\_\_ 3 to 5 occasions
- \_\_\_\_\_ 6 to 9 occasions
- \_\_\_\_\_ 10 to 19 occasions
- \_\_\_\_\_ 20 to 39 occasions
- \_\_\_\_\_ 40 or more occasions

21. During the last 30 days, on how many occasions (if any) have you used GHB (liquid G, grievous bodily harm)?

Pick one:



- 0 occasions
- 1 to 2 occasions
- 3 to 5 occasions
- 6 to 9 occasions
- 10 to 19 occasions
- 20 - 39 occasions
- 40 or more occasions

22. During the last 30 days, on how many occasions (if any) have you used Ketamine (special K, super K)?

Pick one:

- 0 occasions
- 1 to 2 occasions
- 3 to 5 occasions
- 6 to 9 occasions
- 10 to 19 occasions
- 20 - 39 occasions
- 40 or more occasions

23. On how many occasions (if any) in your lifetime have you had an alcoholic beverage-more than just a few sips?

Pick one:

- Never
- 1 to 2
- 3 to 5
- 6 to 9
- 10 to 19
- 20 to 39
- 40 or more

24. How old were you the first time you smoked part or all of a cigarette?

[ ]

25. How old were you the first time you had a drink of an alcoholic beverage? (Please do not include any time when you had only a sip or two from a drink.)

[\_\_\_\_\_]

26. How old were you the first time you used marijuana or hashish?

[ ]

27. How old were you the first time you used any other illegal drugs?

[ ]

**Scoring:**

- This measure generates descriptive data only.
- Results should be reported as response frequencies for individual items.
- Comparing pre and posttest reports of frequency of use in the past 30 days for ATOD users can provide information on changes (increase/decrease) in use following an intervention.
- Data can be compared to local, state, and national statistics from other sources.